



POWER TOOLS 2026



THE EINHELL PROFESSIONAL PHILOSOPHY.

**Quality you can see. Performance you can feel.
Designed for everyone who needs to deliver on a daily basis.**

Anyone working professionally needs tools they can rely on at all times. The Einhell Professional range stands for uncompromising performance, high-quality workmanship and a clear focus on the needs of commercial users. It is specifically designed for professional tradespeople, gardeners and landscapers, as well as demanding power users who use their tools intensively on a daily basis under heavy-duty conditions.

Target audience: Commercial users with professional requirements

Here, uncompromising quality meets sophisticated design and maximum performance.

Performance

More powerful and compact brushless motors for optimised power transmission enable faster progress and consistent performance.

Quality of materials

The use of robust housing materials, reinforced components and durable gearboxes ensures significantly improved resistance to wear, dirt, moisture and mechanical stress.

Functionality

Additional features such as ergonomic soft grips, intelligent controls and advanced safety functions enhance efficiency, precision and user comfort in day-to-day professional use.

Ergonomics & Design

A distinctive, high-quality product design conveys professionalism at first glance. Improved ergonomics, optimised grip areas, balanced weight distribution and high-quality finishes inspire confidence and enhance the quality of day-to-day work.

COMPACT

COMPACT SERIES



MORE COMPACT

- up to 30 % smaller*
- up to 40 % lighter*



MORE POWER

- up to 52 % higher performance*



MORE FEATURES

- e.g. Anti-kickback

* In comparison to non-compact tools

POWER X-CHANGE

Power X-Change Battery System	8
Batteries	11
Twin-Packs	12
Starter Kits	13
Chargers	13

PROFESSIONAL POWER X-CHANGE COMPACT CORDLESS POWER TOOLS

Professional Cordless Drills with Impact Function	16
Professional Cordless Drills	18
Professional Cordless Impact Drivers	20
Professional Cordless Hammer Drill	24
Professional Cordless Rotary Hammer	25
Professional Cordless Cut-Off Grinder	26
Professional Cordless Circular Saw	27

PROFESSIONAL POWER X-CHANGE CORDLESS POWER TOOLS

Professional Cordless Drills with Impact Function	29
Professional Cordless Drills	37
Professional Cordless Drywall Screwdrivers	41
Professional Cordless Rivet Gun	43
Professional Cordless Impact Drivers	44
Professional Cordless Rotary Hammers	47
Professional Cordless Rotary Hammers D-Handle	51
Professional Cordless Demolition Hammer	53
Professional Cordless Paint/Mortar Mixer	54
Professional Cordless Grease Gun	55
Professional Cordless Angle Grinders	56
Professional Cordless Wall Liner	66
Professional Cordless Routers	67
Professional Cordless Palm Router	70
Professional Cordless Planer	71
Professional Cordless Jigsaws	72
Professional Cordless Circular Saws	74
Professional Cordless Plunge Cut Saw	76
Professional Cordless All Purpose Saws	77
Professional Cordless Multifunctional Tools	79
Professional Cordless Drywall Polishers	81
Professional Cordless Brush Sander	83
Professional Cordless Band Sander	84
Professional Cordless Rotating Sander	85
Professional Cordless Eccentric Polisher	86
Professional Cordless Nailer	87
Professional Cordless Stapler	88
Professional Cordless Lights	89
Professional Cordless Wet and Dry Vacuum Cleaners	91
Professional Cordless Compressors	94

PROFESSIONAL CORDED TOOLS

Professional Demolition Hammer	99
Professional Paint/Mortar Mixer	100
Professional Router	101
Professional Angle Grinders	102
Professional Table Saw	104



Do you have any questions?
The Einhell Service hotline
will be happy to help you.

Einhell Service

Eschenstr. 6
94405 Landau/Isar
Germany
Tel. +49 9951 959 2000
Service-DE@einhell.com
www.einhell-service.de

Einhell Germany AG

Wiesenweg 22
94405 Landau/Isar
Germany
info@einhell.de
www.einhell.de



Einhell

CORDLESS EXCELLENCE.



***TWO PARTNERS. ONE MISSION.
MAXIMUM PERFORMANCE.***



Einhell

OFFICIAL
TOOL EXPERT



AMG
PETRONAS
FORMULA 1 TEAM

MORE POWER FOR PROS.

MORE

PERFORMANCE.*
ENDURANCE.*
WARRANTY.**
LIFETIME.*
FUNCTIONALITY.

* Approximate values compared to standard carbon brush motors

** For Brushless Motors upon online registration

WITH BRUSHLESS MOTOR

25% MORE Performance*

50% MORE Endurance*

100% MORE Lifetime*

>> 10 year Motor warranty**

* Approximate values in comparison to conventional carbon brush motors.

** Upon online registration.

ENHANCED MOTOR PERFORMANCE AND MORE BATTERY POWER

The PROFESSIONAL tool range and brushless technology form the Dream Team for: More power. More reliability. More endurance.

Combined, they ensure that these powerful cordless tools exceed even the highest expectations.



THE EINHELL GUARANTEE PROMISE.

In addition to offering excellent value for money, we also ensure that our products are reliable, high-quality and safe.

This is reflected in our various warranties: take advantage of our warranty extension on Einhell tools and Power X-Change batteries to benefit from our top warranty service for even longer.

- » **3-Year Einhell Product Warranty**
Warranty extension for your Power X-Change device to 3 years.
- » **30 Day Money Back Guarantee**
For 100% satisfaction with your Power X-Change device.
- » **Power X-Change Battery Warranty**
Warranty extension for Power X-Change batteries to 3 years.



* This warranty covers only defects in the engine that are due to a material or manufacturing defect!

THIS IS HOW

Find out more at einhell.de, **register** in your customer account and **apply** for the warranty. Further information is available at www.einhell.de/en/services/warranties/

PROFESSIONAL WARRANTIES

- » **PROFESSIONAL Warranty**
3-year warranty, even for commercial use.
Confident of the durability of our PROFESSIONAL tools and garden equipment, we offer an extended 3-year warranty, even for commercial use.
- » **Brushless Warranty**
10-year warranty on Einhell brushless motors.
We are committed to the reliable quality of our tools and the safety of our products. When you register your new Einhell brushless product, the warranty on your Einhell brushless motor is extended to a total of 10 years.



THIS IS HOW

Find out more at einhell.de, **register** in your customer account and **apply** for the warranty. Further information is available at www.einhell.de/en/services/warranties/



ONE BATTERY FOR OVER 350 TOOLS, ELIMINATING SYSTEM CHAOS.

POWER X-CHANGE is the only truly standardised battery platform for home, garden and workshop use. While other manufacturers use diverse battery systems, Einhell consistently relies on **a single, universal platform for all purposes**. The **PXC BATTERY** fits in any device, regardless of whether you are using a drill, lawn mower, wet and dry vacuum cleaner or high-pressure cleaner. **This eliminates system chaos, the need for different chargers and compatibility issues.**

Other brands offer separate battery platforms for each of their performance ranges. This leads to confusion and additional expense, because different batteries are needed for different devices. With **POWER X-CHANGE**, you won't have this problem! A single system covers the entire range of tools, from garden equipment and household tools to recreational products.

FLEXIBILITY AND PERFORMANCE ACCORDING TO YOUR NEEDS.

Each situation poses unique challenges in terms of performance. With **POWER X-CHANGE**, you are free to select the precise battery capacity that suits your project's needs. Thanks to battery options ranging from **2.0 Ah to 8.0 Ah**, you are free to choose whether you prefer lightweight tools with low energy needs or high-performance machines with maximum runtime.

For particularly demanding tasks, **two 18 V batteries can be combined to produce 36 V**.

Runtime is automatically doubled on certain tools

Selected tools intelligently run on two 18 V batteries, one after the other:

- One PXC battery runs while the other waits its turn.
- The tool automatically switches over to the second battery when needed.

This results in double the runtime, with no need for interruptions or manual action.

When combined with tools that use two batteries at once for 36 V, you can have up to four batteries in place, offering 2x 36 V and automatically switching over. Perfect for prolonged use and steady performance.





THE BATTERY PLATFORM THAT GROWS WITH YOU.

A single investment in the **POWER X-CHANGE** system offers long-term flexibility. From a cordless screwdriver today to hedge trimmers tomorrow, your PXC battery grows as your projects develop. The platform is designed for expansion, so that you can add new tools at any time without having to worry about battery compatibility.

Featuring over 350 tools, **POWER X-CHANGE** is one of the largest battery platforms on the market. The product range is constantly growing, ensuring not only that you have the right tool for your current project but also that you are well equipped for the challenges to come. **Einhell is focused on the future: once you join the system, you will benefit from new opportunities for years to come.**

COST-EFFICIENT AND PRACTICAL.

POWER X-CHANGE saves not only money but also space. Why buy a separate battery for every device when a single battery type is enough for all applications? This reduces purchase costs and eliminates the need for extra chargers.

The sophisticated battery technology ensures that PXC batteries have a particularly long service life. Fewer batteries mean less electronic waste. And you, as the user, save money at the same time.

INNOVATIVE BATTERY TECHNOLOGIES.

For use under the toughest conditions, **SEALED Technology** (rated IP57) protects the PXC battery from water and dust.

With up to 1350 watts of power per PXC battery, PXC tools offer top-rate cordless performance. Thanks to **Twin Pack Technology**, two 18 V batteries can be combined to produce 36 V, providing up to 2700 watts of power.

Multi-Ah Technology allows you to choose between maximum runtime (+60 %) and a service life that is 3x longer by simply pushing a button.

The Active Battery Management System (ABS) reliably protects the battery from overload, deep discharge and overheating through constant cell monitoring and smart load management. At the same time, ABS optimizes each cell for maximum runtime, extended service life and safe performance. In sleep mode, the system saves energy, keeping the battery ready for use.

With **POWER X-CHANGE Plus**, batteries offer not only more capacity, but also more power, exactly when and where it is needed.




POWER X-CHANGE PLUS

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.


Benefits? The new batteries are 13% more compact and 12% lighter than their predecessors – at 100% power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



MULTI-AH

Thanks to MULTI-Ah Technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).



TWIN-PACK

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack Technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack Technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.



COMPACT

Einhell's compact tools impress with their powerful performance and sleek new design. Ideal for easy, powerful and fatigue-free work in the workshop and around the home.

MORE COMPACT

- up to **30%** shorter*
- up to **40%** slimmer*
- up to **60%** lighter*

MEHR POWER

- up to **52%** higher performance*

MEHR FEATURES

- e.g. **Anti-kickback**



* In comparison to non-compact tools

SEALED



NO CHANCE FOR DUST AND WATER.

Officially tested according to IP57 protection class.*

WHAT DOES IP57 MEAN?

DUST 5

Protected from all types of foreign bodies and dust – be it wood, brick or metal.



7 WATER

Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.



In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

* Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery.

SEALED TECHNOLOGY

Our most advanced battery system SEALED

- >> First IP57 rechargeable battery worldwide
- >> High Power 4 Ah Battery Pack
- >> Water proof
- >> Dust proof



**DUST
PROOF**

**WATER
PROOF**

Accessories – Batteries

4.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage / capacity	18 V / 4.0 Ah
Battery power	max. 900 W
Product weight	0.61 kg
Article number	4511627
EAN	4 006825 673227

3.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage / capacity	18 V / 3.0 Ah
Battery power	max. 900 W
Product weight	0.60 kg
Article number	4511618
EAN	4 006825 672794

ACCESSORIES – BATTERIES

One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger)

◀◀ Less weight and size PXC Batteries More power and runtime ▶▶

					
	2.0 Ah	2.5 Ah	3.0 Ah PLUS	3.0 Ah SEALED	4.0 Ah
Article number (1 battery)	4511395	Only available in Starter Kits	4511501	4511618	4511396
EAN		-			
Power	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W
Weight	400 g	460 g	585 g	595 g	670 g
Features					
PLUS – Extra Power			✓	✓	
SEALED				✓	
Multi-Ah					

◀◀ Less weight and size PXC Batteries More power and runtime ▶▶

					
	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Article number (1 battery)	4511553	4511627	4511437	4511502	4511600
EAN					
Power	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	595 g	605 g	890 g	1020 g	1050 g
Features					
PLUS – Extra Power	✓	✓		✓	✓
SEALED		✓			
Multi-Ah				✓	✓

				
	3.0 Ah PLUS	4.0 Ah	4.0 Ah PLUS	5.2 Ah
Article number Twin-Pack (2 batteries)	4511631	4511489	4511629	4511526
EAN				

ACCESSORIES – STARTER KITS

Getting started is easy – with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:

					
	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
Article number (1 battery + 1 charger)	4512097	4512042	4512159	4512147	4512143
EAN					
Article number (2 batteries + 1 Twincharger)	–	4512112	–	–	–
EAN	–		–	–	–
Charger (More information in the charger table)	3 A Charger	3 A Charger / 3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
Ready to go	50 min	75 min	75 min	100 min	60 min

ACCESSORIES – CHARGERS

One charger for all batteries – 100 % compatibility

					
	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger
Article number (1 charger)	Only available in Starter Kits	4512113	4512103	Only available in Starter Kits	4512155
EAN	–			–	
Charging current	3 A	3 A	4 A	6 A	8 A
Number of ports for PXC batteries	1	1	1	1	1

			
	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
Article number (1 charger)	4512069	4512161	4512102
EAN			
Charging current	3 A (per Port)	4 A (per Port)	4 A (per Port) (parallel charging of 2x2 batteries)
Number of ports for PXC batteries	2	2	4



- Endless extendable
- Tongue and groove connection
- Snap-in function for secure fastening



- Protects the battery against dust and moisture

PXC ACCESSORIES

Battery Mounting Gadget


Items supplied	2 battery mounting gadgets, 4 screws, 4 dowels	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Special feature	The batteries latch in place and are secure in every position	
Article number	4514155	

PXC ACCESSORIES

Battery Protector

Items supplied	1 battery cover	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Can be used for (devices)	HYPRESSO 18/24-1, TE-DA 18/760 Li, GE-WS 18/10 Li	
Property	Protects the battery against dust and moisture	
Article number	4140151	

BATTERY CHARGING TIME TABLE

	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	
Power X-Charger 3 A								
Power X-Twincharger 3 A (parallel charging of 2 batteries)	40 min	50 min	60 min	75 min	100 min	120 min	160 min	
Power X-Car Charger 3 A								
Power X-Fastcharger 4 A								
Power X-Twincharger 4 A (parallel charging of 2 batteries)	30 min	37 min	45 min	60 min	80 min	90 min	120 min	
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)								
Power X-Boostcharger 6 A *	30 min	27 min	32 min	40 min	50 min	60 min	80 min	
Power X-Boostcharger 8 A **	30 min	27 min	32 min	40 min	40 min	45 min	60 min	

* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

** Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.

POWER X CHANGE

PROFESSIONAL COMPACT CORDLESS POWER TOOLS



Einhell Accessories

Accessories from the Einhell Accessories range are marked with

A

Operating times

The product descriptions specify the operating times that the devices can achieve when using the various batteries.

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For optimum performance of the devices, we recommend the batteries with operating times highlighted in dark grey

PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/70-C Li-i Brushless

NEW



PXC battery voltage	18 V	
Idle speed	0 - 450 / 0 - 2000 min ⁻¹	
Blow rate	0 - 6750 / 0 - 30000 min ⁻¹	
Torque (hard)	70 Nm	
Torque settings	21+1+1	
Drill chuck	13 mm	
Housing length	157 mm	
Product weight	1.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4514340	 4 006825 685176

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
330 pcs	415 pcs	495 pcs	660 pcs	860 pcs	990 pcs	1320 pcs

**BRUSHLESS
COMPACT**



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/50-C Li-i Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 3.0 Ah	45 min (4 A charger)	
Idle speed	0 - 500 / 0 - 2000 min ⁻¹	
Blow rate	0 - 7500 / 0 - 30000 min ⁻¹	
Torque (hard)	50 Nm	
Torque settings	20+1+1	
Drill chuck	13 mm	
Housing length	152 mm	
Product weight	1.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 3.0 Ah Sealed Li-Ion) / 1 pcs (4 A Charger)	
Packaging	E-Case	
Article number	4514406	

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
330 pcs	415 pcs	495 pcs	660 pcs	860 pcs	990 pcs	1320 pcs

PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/50-C Li-i Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4514400	

NEW

**BRUSHLESS
COMPACT**


PROFESSIONAL CORDLESS DRILL TP-CD 18/70-C Li Brushless

NEW

PXC battery voltage	18 V	
Idle speed	0 - 450 / 0 - 2000 min ⁻¹	
Torque (hard)	70 Nm	
Torque settings	21+1	
Drill chuck	13 mm	
Housing length	144 mm	
Product weight	1.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4514335	 4 006825 685169



1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
330 pcs	415 pcs	495 pcs	660 pcs	860 pcs	990 pcs	1320 pcs

**BRUSHLESS
COMPACT**



PROFESSIONAL CORDLESS DRILL


TP-CD 18/50-C Li Brushless

NEW

PXC battery voltage	18 V	
Idle speed	0 - 500 / 0 - 2000 min ⁻¹	
Torque (hard)	50 Nm	
Torque settings	20+1	
Drill chuck	13 mm	
Housing length	140 mm	
Product weight	0.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4514405	 4 406825 686036

1x 18 V
Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
330 pcs	415 pcs	495 pcs	660 pcs	860 pcs	990 pcs	1320 pcs


**BRUSHLESS
COMPACT**


PROFESSIONAL CORDLESS IMPACT DRIVER TP-CW 18/750-C Li Brushless

PXC battery voltage	18 V	
Idle speed (step 1 / 2 / 3)	0 - 1000 / 0 - 1500 / 0 - 2200 min ⁻¹	
Torque (stage 1 / 2 / 3 / Auto-Stop)	300 / 370 / 750 / 100 Nm	
Loosening torque (max.)	1000 Nm	
Number of torque settings	3 + 1	
Tool mounting	External square (1/2")	
Housing length	170 mm	
Product weight	1.8 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Bit adapter, 3-piece nut set	
Packaging	Colour box	
Article number	4510065	 4 006825 680669



1x 18 V

Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Nm) that can be released per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
810 pcs	1010 pcs	1215 pcs	1620 pcs	2100 pcs	2430 pcs	3240 pcs

Accessories incl.



BRUSHLESS COMPACT



PROFESSIONAL CORDLESS IMPACT DRIVER TP-CW 18/350-C Li Brushless

PXC battery voltage	18 V	
Idle speed (step 1 / 2 / 3)	0 - 1100 / 0 - 1700 / 0 - 2400 min ⁻¹	
Torque (stage 1 / 2 / 3 / Auto-Stop)	140 / 200 / 350 / 100 Nm	
Loosening torque (max.)	600 Nm	
Number of torque settings	3 + 1	
Tool mounting	External square (1/2")	
Housing length	132 mm	
Product weight	1.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Bit adapter, 3-piece nut set	
Packaging	Colour box	
Article number	4510055	

1x 18 V

Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Nm) that can be released per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
720 pcs	900 pcs	1080 pcs	1440 pcs	1870 pcs	2160 pcs	2880 pcs



Accessories incl.



BRUSHLESS COMPACT



PROFESSIONAL CORDLESS IMPACT DRIVER TP-CW 18/260-C Li Brushless

PXC battery voltage	18 V	
Idle speed (step 1 / 2 / 3)	0 - 1000 / 0 - 1900 / 0 - 2700 min ⁻¹	
Torque (stage 1 / 2 / 3 / Auto-Stop)	100 / 160 / 260 / 100 Nm	
Loosening torque (max.)	500 Nm	
Number of torque settings	3 + 1	
Tool mounting	External square (1/2")	
Housing length	119 mm	
Product weight	0.95 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Bit adapter, 3-piece nut set	
Packaging	Colour box	
Article number	4510090	 4 006825 680362

1x 18 V

Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Nm) that can be released per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
635 pcs	795 pcs	950 pcs	1270 pcs	1650 pcs	1905 pcs	2540 pcs



Accessories incl.



**BRUSHLESS
COMPACT**



PROFESSIONAL CORDLESS IMPACT DRIVER TP-CI 18/250-C Li Brushless

PXC battery voltage	18 V	
Idle speed	0 - 1300 / 0 - 2000 / 0 - 2800 min ⁻¹	
Torque (stage 1 / 2 / 3)	90 / 150 / 250 Nm	
Number of torque settings	3	
Tool mounting	Internal hexagon 6.35 mm (1/4")	
Housing length	113 mm	
Product weight	0.95 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4510095	 4 006825 680379

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
265 pcs	330 pcs	390 pcs	530 pcs	680 pcs	780 pcs	1060 pcs



**BRUSHLESS
COMPACT**



PROFESSIONAL CORDLESS HAMMER DRILL TP-ID 18-C Li Brushless

NEW

PXC battery voltage	18 V	
Idle speed / blow rate	0 - 2800 min ⁻¹ / 0 - 44500 min ⁻¹	
Drilling capacity, wood	30 mm	
Drilling capacity, concrete	14 mm	
Drilling capacity, steel	12 mm	
Drill chuck	13 mm	
Housing length	217 mm	
Product weight	1.8 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Metal depth stop	•	
Packaging	Colour box	
Article number	4514026	 4 006825 687477

1x 18 V

ø 6 mm / 45 mm into brick - max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
80 pcs	100 pcs	115 pcs	160 pcs	205 pcs	230 pcs	320 pcs



Matching accessories

Drill bit cassette set, 15-piece: 3 drill bit cassettes, each containing 5 drill bits (for stone, metal and wood)	49109157	4 009311 091574
---	----------	-----------------

**BRUSHLESS
COMPACT**



PROFESSIONAL CORDLESS ROTARY HAMMER TP-HD 18/17-C Li Brushless +5

NEW

Accessories incl.


**BRUSHLESS
COMPACT**

PXC battery voltage	18 V	
Battery charging time 18 V / 3.0 Ah	45 min (4 A charger)	
Idle speed / blow rate / impact force	0 - 1530 min ⁻¹ / 0 - 5350 min ⁻¹ / 1.7 J	
Drilling capacity, concrete	17 mm	
Drill chuck	SDS-plus	
Product weight	1.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	1 pcs (18 V 3.0 Ah Sealed Li-Ion) / 1 pcs (4 A Charger)	
Additional handle	•	
Metal depth stop	•	
Accessories	Drill bit set, 5-pc (5, 6, 8, 10, 12 mm)	
Packaging	E-Case	
Article number	4514418	 4 006825 691689

1x 18 V
Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
48 holes	60 holes	71 holes	97 holes	124 holes	144 holes	192 holes

PROFESSIONAL CORDLESS ROTARY HAMMER TP-HD 18/17-C Li Brushless

Same as previous item, but excl. batteries / chargers / drill bit set / E-Case

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Metal depth stop	•	
Packaging	Colour box	
Article number	4514415	 4 006825 686487



PROFESSIONAL CORDLESS CUT-OFF GRINDER 76 MM TP-CO 18/76-C Li Brushless



**BRUSHLESS
COMPACT**

PXC battery voltage	18 V	
Idle speed	20.000 min ⁻¹	
Wheel diameter	76 mm	
Max. cutting depth	16 mm	
Product weight	0.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	3 cutting wheels for metalworking, 1 diamond cutting wheel, 1 hex key	
Packaging	Colour box	
Article number	4432000	 4 006825 674521

Accessories incl.



1x 18 V

Cutting sheet metal (0.5 mm) – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
14 m	18 m	21 m	28 m	36 m	41 m	55 m

Matching accessories

Diamond Cutting Wheel 76 x 1.7 mm	4440470	4 006825 674927
Cutting Wheel Set, 5-piece, 76 mm	4440471	4 006825 674972



PROFESSIONAL CORDLESS CIRCULAR SAW

TP-CS 18/136-C Li Brushless



**BRUSHLESS
COMPACT**

PXC battery voltage	18 V	
Idle speed	4000 min ⁻¹	
Saw blade	Ø 136 x 20 mm	
Cutting depth 90°	51 mm	
Cutting depth 45°	35 mm	
Product weight	2.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Parallel stop	
Packaging	Colour box	
Article number	4331240	 4 006825 683868

1x 18 V

19 mm chipboard – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
28 m	35 m	42 m	56 m	73 m	84 m	112 m

Matching accessories

Guide Bar Aluminium 2x 1000 mm	4502118	4 006825 632675
Saw blade for woodworking, TCT Ø 136 x Ø 20 x 1.8 mm, t16	4502077	4 006825 686982



POWER X CHANGE

PROFESSIONAL CORDLESS POWER TOOLS



Einhell Accessories

Accessories from the Einhell Accessories range are marked with

Operating times

The product descriptions specify the operating times that the devices can achieve when using the various batteries.

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For optimum performance of the devices, we recommend the batteries with operating times highlighted in dark grey

PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/130-K Li-i Brushless

PXC battery voltage	18 V	
Idle speed	0 - 500 / 0 - 2100 min ⁻¹	
Blow rate	0 - 7150 / 0 - 27300 min ⁻¹	
Torque (hard)	130 Nm	
Torque settings	21+1+1	
Drill chuck	13 mm	
Housing length	201 mm	
Product weight	1.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Depth stop	•	
Packaging	Colour box	
Article number	4514313	 4 006825 687774

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
205 pcs	255 pcs	305 pcs	410 pcs	530 pcs	610 pcs	820 pcs



BRUSHLESS



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION TP-CD 18/120 Li-i Brushless

PXC battery voltage	18 V	
Idle speed	0 - 500 / 0 - 2100 min ⁻¹	
Blow rate	0 - 6500 / 0 - 27300 min ⁻¹	
Torque (hard)	120 Nm	
Torque settings	21+1+1	
Drill chuck	13 mm	
Housing length	201 mm	
Product weight	1.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Depth stop	•	
Packaging	Colour box	
Article number	4514310	 4 006825 672336

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
190 pcs	240 pcs	335 pcs	445 pcs	580 pcs	670 pcs	895 pcs



BRUSHLESS



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/80 Li-i Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 2.0 Ah	40 min	
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	
Blow rate	0 - 8000 / 0 - 28800 min ⁻¹	
Torque (hard)	80 Nm	
Torque settings	20+1+1	
Drill chuck	13 mm	
Housing length	199 mm	
Product weight	1.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 2.0 Ah Li-Ion) / 1 pc	
Additional handle	•	
Packaging	E-Case	
Article number	4514306	 4 006825 678277

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs



Accessories incl.



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/80 Li-i Brushless

BRUSHLESS

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Packaging	Colour box	
Article number	4514305	



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION TP-CD 18/70 Li-i Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 2.0 Ah/3.0 Ah	40 min / 60 min	
Idle speed	0 - 500 / 0 - 2000 min ⁻¹	
Blow rate	0 - 8000 / 0 - 32000 min ⁻¹	
Torque (hard)	70 Nm	
Torque settings	21+1+1	
Drill chuck	13 mm	
Housing length	205 mm	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	2 pcs (1x 18 V 2.0 Ah Li-Ion, 1x 18 V 3.0 Ah+ Li-Ion) / 1 pc	
Additional handle	•	
Accessories	70-piece	
Packaging	E-Case	
Article number	4514318	 4 006825 683981

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
290 pcs	360 pcs	430 pcs	580 pcs	750 pcs	860 pcs	1160 pcs



BRUSHLESS

Accessories incl.



E-CASE-SYSTEM



TESTSIEGER



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/70 Li-i Brushless

**Same as previous item, but incl. 2 batteries
(18 V | 2.0 Ah | Li-Ion), 1 charger, E-Case**

Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 2.0 Ah Li-Ion) / 1 pc	
Additional handle	•	
Packaging	E-Case	
Article number	4514316	 4 006825 677904

Accessories incl.



E-CASE-SYSTEM

PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/70 Li-i Brushless

**Same as previous item, but without battery(ies) /
charger(s)**

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Packaging	Colour box	
Article number	4514315	 4 006825 677898



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION TP-CD 18/60 Li-i Brushless

PXC battery voltage	18 V	
Idle speed	0 - 500 / 0 - 2000 min ⁻¹	
Blow rate	0 - 8000 / 0 - 32000 min ⁻¹	
Torque (hard)	60 Nm	
Torque settings	21+1+1	
Drill chuck	13 mm	
Housing length	205 mm	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Packaging	Colour box	
Article number	4514205	 4 006825 659092



1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

BRUSHLESS



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/60 Li-i Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 2.0 Ah	40 min	
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	
Blow rate	0 - 8000 / 0 - 28800 min ⁻¹	
Torque (hard)	60 Nm	
Torque settings	20+1+1	
Drill chuck	13 mm	
Housing length	190 mm	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.0 Ah Li-Ion) / 1 pc	
Packaging	E-Box	
Article number	4514211	 4 006825 682953

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
390 pcs	485 pcs	600 pcs	780 pcs	1040 pcs	1200 pcs	1560 pcs



Accessories incl.



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION

TP-CD 18/60-T Li-i Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4514237	 4 006825 690125

BRUSHLESS



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION TP-CD 18/50 Li-i Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 2.0 Ah	40 min	
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	
Blow rate	0 - 8000 / 0 - 28800 min ⁻¹	
Torque (hard)	50 Nm	
Torque settings	20+1+1	
Drill chuck	13 mm	
Housing length	190 mm	
Product weight	1.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 2.0 Ah Li-Ion) / 1 pc	
Packaging	E-Box	
Article number	4513940	 4 006825 642483

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION TP-CD 18/50 Li-i Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4513942	 4 006825 644265

BRUSHLESS




PROFESSIONAL CORDLESS DRILL

TP-CD 18/80 Li Brushless

PXC battery voltage	18 V	
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	
Torque (hard)	80 Nm	
Torque settings	19+1	
Drill chuck	13 mm	
Housing length	194 mm	
Product weight	1.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Packaging	Colour box	
Article number	4514300	 4 006825 672176

1x 18 V
Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs


BRUSHLESS


PROFESSIONAL CORDLESS DRILL TP-CD 18/60 Li Brushless

PXC battery voltage	18 V	
Idle speed	0 - 500 / 0 - 2000 min ⁻¹	
Torque (hard)	60 Nm	
Torque settings	21+1	
Drill chuck	13 mm	
Housing length	193 mm	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Packaging	Colour box	
Article number	4514210	 4 006825 659955

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



BRUSHLESS



PROFESSIONAL CORDLESS DRILL

TP-CD 18/50 Li Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 2.0 Ah	40 min	
Idle speed	0 - 500 / 0 - 1800 min ⁻¹	
Torque (hard)	50 Nm	
Torque settings	19+1	
Drill chuck	13 mm	
Housing length	185 mm	
Product weight	1.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 2.0 Ah Li-Ion) / 1 pc	
Packaging	E-Box	
Article number	4513896	

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



Accessories incl.



PROFESSIONAL CORDLESS DRILL

TP-CD 18/50 Li Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4513887	 4 006825 644838

BRUSHLESS

Cordless Drills Accessories

Type	Article number	EAN	Items supplied	Packaging
Drills and Bits Set	49108806	4 009311 088062	22-piece: 12 bits, 5 metal drill bits, 3 socket spanner inserts, 1 countersink, 1 quick change bit holder	Storage case
Drills and Bits Set	49108911	4 009311 089113	39-piece: 24 bits, 8 metal drill bits, 5 socket spanner inserts, 1 countersink, 1 quick change bit holder	Storage case
Drills and Bits Set	49108956	4 009311 089564	39-piece: 24 bits, 8 metal drill bits (2x stone, 3x metal, 3x wood), 5 socket spanner inserts, 1 countersink, 1 quick change bit holder	Storage case
Bits Set	49108801	4 009311 088017	34-piece: 29 bits, 3 socket spanner inserts, 1 countersink, 1 quick change bit holder	Storage case
Set of Drill Bit Cassettes	49109157	4 009311 091574	15-piece: 3 drill bit cassettes with 5 drill bits in each (stone, metal, wood)	Drill bit cassettes



PROFESSIONAL CORDLESS DRYWALL SCREWDRIVER TP-DY 18 Li Brushless

PXC battery voltage	18 V	
Idle speed	0 - 5000 min ⁻¹	
Bit mount	Internal hexagon 6.35 mm (1/4")	
Product weight	0.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	1x magazine attachment, 1x bit type PH2 (long)	
Packaging	E-Case	
Article number	4261012	 4 006825 680614

1x 18 V


Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1400 pcs	1800 pcs	2200 pcs	2800 pcs	3650 pcs	4400 pcs	5800 pcs

Accessories incl.



BRUSHLESS



PROFESSIONAL CORDLESS DRYWALL SCREWDRIVER

TP-DY 18 Li Brushless

Same as previous item, but incl. E-Box, excl. batteries / chargers

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	1x bit type PH2	
Packaging	E-Box	
Article number	4261010	 4 006825 675474

Cordless Drywall Screwdriver Accessory



Magazine Attachment (screw length 25 - 55 mm, max. Ø 3.9 mm) incl. 1x bit Typ PH2

4259955



Magazine Attachment Accessory

Drywall Bit Set (3x PH2 bits)	4259956	 4 006825 679649
Drywall Screw Belt Set (20 belts with 50 screws each, dimensions 3.5 x 35 mm, coarse thread)	4261002	 4 006825 673296
Drywall Screw Belt Set (20 belts with 50 screws each, dimensions 3.5 x 45 mm, coarse thread)	4261004	 4 006825 673319
Drywall Screw Belt Set (20 belts with 50 screws each, dimensions 3.5 x 25 mm, fine thread)	4261000	 4 006825 673272
Drywall Screw Belt Set (20 belts with 50 screws each, dimensions 3.5 x 35 mm, fine thread)	4261001	 4 006825 673289
Drywall Screw Belt Set (20 belts with 50 screws each, dimensions 3.5 x 35 mm, fine thread with self-drilling tip)	4261003	 4 006825 673302



PROFESSIONAL CORDLESS RIVET GUN

TP-RG 18/30 Li Brushless

NEW


PXC battery voltage	18 V	
Max.pulling force	20000 N	
Stroke length	30 mm	
Rivet diameter	2.4 - 6.4 mm	
Product weight	1.8 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Clamping wrench, 5x mouth pieces (2.4 mm 3.2 mm 4.0 mm 4.8 mm 6.4 mm)	
Packaging	Colour box	
Article number	4522400	 4 006825 686937

1x 18 V

Insert steel rivets (3.2 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
680 pcs	850 pcs	1020 pcs	1360 pcs	1768 pcs	2040 pcs	2720 pcs

Matching accessories

Clamping Jaw Set Rivet Gun	4522401	4 006825 690248
----------------------------	---------	-----------------

Accessories incl.


BRUSHLESS


PROFESSIONAL CORDLESS IMPACT DRIVER IMPAXXO 18/450

PXC battery voltage	18 V	
Idle speed (step 1 / 2 / 3)	0 - 1000 / 0 - 1500 / 0 - 2100 min ⁻¹	
Torque (stage 1 / 2 / 3)	200 / 280 / 450 Nm	
Loosening torque (max.)	800 Nm	
Number of torque settings	3	
Tool mounting	External square (1/2")	
Housing length	205 mm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Bit adapter, 3-piece nut set	
Packaging	Colour box	
Article number	4510070	 4 006825 657436

1x 18 V

Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Nm) that can be released per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
760 pcs	950 pcs	1140 pcs	1520 pcs	1975 pcs	2280 pcs	3040 pcs



Accessories incl.



BRUSHLESS



PROFESSIONAL CORDLESS IMPACT DRIVER IMPAXXO 18/230

PXC battery voltage	18 V	
Idle speed	0 - 2900 min ⁻¹	
Torque (max.)	230 Nm	
Loosening torque (max.)	450 Nm	
Tool mounting	External square (1/2")	
Housing length	166 mm	
Product weight	1.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Bit adapter	
Packaging	Colour box	
Article number	4510080	 4 006825 664317

1x 18 V

Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Nm) that can be released per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
635 pcs	795 pcs	950 pcs	1270 pcs	1650 pcs	1905 pcs	2540 pcs



Accessories incl.



BRUSHLESS



PROFESSIONAL CORDLESS IMPACT DRIVER TP-CI 18/220 Li Brushless

PXC battery voltage	18 V	
Idle speed	0 - 2900 min ⁻¹	
Torque (max.)	220 Nm	
Tool mounting	Internal hexagon 6.35 mm (1/4")	
Housing length	157 mm	
Product weight	1.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4510085	 4 006825 675146

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
215 pcs	260 pcs	320 pcs	430 pcs	555 pcs	640 pcs	860 pcs



BRUSHLESS



PROFESSIONAL CORDLESS ROTARY HAMMER TP-HD 36/30 Li Brushless +4


BRUSHLESS

PXC battery voltage	2x 18 V	
Idle speed / blow rate / impact force	0 - 1100 min ⁻¹ / 0 - 5300 min ⁻¹ / 3.5 J	
Drilling capacity, concrete	30 mm	
Drill chuck	SDS-plus	
Product weight	3.4 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Metal depth stop	•	
Accessories	3 SDS-plus drill bits / 1 SDS-plus flat chisel	
Packaging	E-Box	
Article number	4513983	 4 4006825 674033

2x 18 V

Drilling in concrete (ø 8 mm / 50 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
79 holes	105 holes	126 holes	169 holes	222 holes	276 holes	340 holes

Accessories incl.



PROFESSIONAL CORDLESS ROTARY HAMMER TP-HD 18/28 Li Brushless +4



PXC battery voltage	18 V	
Battery charging time 18 V / 3.0 Ah	60 min	
Idle speed / blow rate / impact force	0 - 1200 min ⁻¹ / 0 - 5500 min ⁻¹ / 3.0 J	
Drilling capacity, concrete	28 mm	
Drill chuck	SDS-plus	
Product weight	3.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	1 pcs (18 V 3.0 Ah+ Li-Ion) / 1 pcs	
Additional handle	•	
Metal depth stop	•	
Accessories	3 SDS-plus drill bits / 1 SDS-plus flat chisel	
Packaging	E-Case	
Article number	4514274	 4 006825 682045

BRUSHLESS

1x 18 V

Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
32 holes	40 holes	50 holes	65 holes	80 holes	92 holes	125 holes

Accessories incl.



E-CASE-SYSTEM



PROFESSIONAL CORDLESS ROTARY HAMMER TP-HD 18/26 Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Idle speed / blow rate / impact force	0 - 1200 min ⁻¹ / 0 - 5500 min ⁻¹ / 2.6 J	
Drilling capacity, concrete	26 mm	
Drill chuck	SDS-plus	
Product weight	3.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Metal depth stop	•	
Packaging	E-Case	
Article number	4514265	 4 006825 668193

1x 18 V
Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
32 holes	40 holes	50 holes	65 holes	80 holes	92 holes	125 holes

Accessories incl.

E-CASE SYSTEM


PROFESSIONAL CORDLESS ROTARY HAMMER HEROCCO 18/20



BRUSHLESS

PXC battery voltage	18 V	
Idle speed / blow rate / impact force	0 - 1200 min ⁻¹ / 0 - 5500 min ⁻¹ / 2.2 J	
Drilling capacity, concrete	20 mm	
Drill chuck	SDS-plus	
Product weight	2.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Metal depth stop	•	
Accessories	1 magnetic bit adapter	
Packaging	E-Box	
Article number	4513900	 4 006825 630343

1x 18 V

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs	1340 pcs

Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

87 holes	108 holes	130 holes	174 holes	225 holes	260 holes	348 holes
----------	-----------	-----------	-----------	-----------	-----------	-----------

Accessories incl.



PROFESSIONAL CORDLESS ROTARY HAMMER D-HANDLE TP-HD 18/26 D Li Brushless



BRUSHLESS

PXC battery voltage	18 V
Idle speed / blow rate / impact force	0 - 1150 min ⁻¹ / 0 - 5100 min ⁻¹ / 2.6 J
Drilling capacity, concrete	26 mm
Drill chuck	SDS-plus
Product weight	2.9 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Additional handle	•
Metal depth stop	•
Packaging	E-Case
Article number	4514270



1x 18 V

Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
36 holes	45 holes	54 holes	72 holes	94 holes	108 holes	144 holes

Accessories incl.



E-CASE SYSTEM



PROFESSIONAL CORDLESS ROTARY HAMMER D-HANDLE TP-HD 18/22 D Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Idle speed / blow rate / impact force	0 - 1800 min ⁻¹ / 0 - 5150 min ⁻¹ / 2.3 J	
Drilling capacity, concrete	22 mm	
Drill chuck	SDS-plus	
Product weight	2.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Metal depth stop	•	
Packaging	E-Case	
Article number	4514277	 4 006825 673999

1x 18 V

Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
57 holes	75 holes	85 holes	113 holes	147 holes	170 holes	227 holes

Accessories incl.



Cordless Rotary Hammer (SDS-plus) Accessory

Type	Article number	EAN	Items supplied	Packaging
SDS-plus drill bits/chisels set	49240295		10 hammer drill bits (5 - 16 mm), 2 chisels (1x flat 20 mm, 1x pointed)	Storage case
SDS-plus drill bits set	49240281		12 hammer drill bits (5 - 14 mm)	Storage case



PROFESSIONAL CORDLESS DEMOLITION HAMMER TP-DH 18/4 Li Brushless


BRUSHLESS

PXC battery voltage	18 V	
Blow rate	4600 min ⁻¹	
Impact force	4 J	
Drill chuck	SDS-plus	
Product weight	2.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Additional handle	•	
Accessories	1 pointed chisel, 1 flat chisel	
Packaging	E-Case	
Article number	4514190	 4 006825 680645

Accessories incl.


1x 18 V

Chiseling hollow brick stone with pointed chisel – max. operating time per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	19 min	23 min	30 min	39 min	45 min	60 min

