

PROFESSIONAL CORDLESS PAINT/MORTAR MIXER TP-MX 18-2 Li Brushless

PXC battery voltage	18 V	
Idle speed	0 - 450 / 0- 720 min ⁻¹	
Stirrer mount	M14	
Product weight	3.8 kg (excl. battery / excl. stirrer)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	1 mortar mixer (ø 120 mm)	
Packaging	Colour box	
Article number	4258770	 4 006825 667639



BRUSHLESS

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
16 min	22 min	26 min	34 min	46 min	52 min	68 min

Mixing duration for wall paint per battery charge

14 min	18 min	21 min	28 min	37 min	42 min	56 min
--------	--------	--------	--------	--------	--------	--------

Mixing duration for mortar per battery charge

11 min	14 min	16 min	22 min	28 min	32 min	44 min
--------	--------	--------	--------	--------	--------	--------

Accessories incl.



Matching accessories

Mortar Mixer	49497625	4 009314 976250
Paint Mixer	49497635	4 009314 976359
Mixer Set (1 paint, 1 mortar mixer)	49497695	4 009314 976953



PROFESSIONAL CORDLESS GREASE GUN TP-GR 18/690 Li

NEW

PXC battery voltage	18 V	
Max. pressure	690 bar	
Discharge volume max.	295 ml/min	
Volume control	15	
Hose length	120 cm	
Hose / filling connection thread	1/8" NPTF	
Product weight	3.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Carrying strap, hose (120 cm), mouthpiece 1/8" NPTF	
Packaging	Colour box	
Article number	4522300	 4 006825 684391


1x 18 V
Maximum number of grease cartridges (400 g) per battery charge in stage 1

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
7 pcs	8 pcs	10 pcs	13 pcs	17 pcs	20 pcs	26 pcs

Maximum number of grease cartridges (400 g) per battery charge in stage 2

9 pcs	11 pcs	14 pcs	18 pcs	23 pcs	27 pcs	36 pcs
-------	--------	--------	--------	--------	--------	--------

Accessories incl.


Cordless Grease Guns Accessories

Type	Article number	EAN	Cartridge volume	Cartridge type	Spanner size	Internal thread	External thread
Grease Cartridge Adapter 500 g	4522301	4 006825 686692	500 g	Thread	30 mm	M20 x 2.5	M58 x 1.5
Grease Cartridge Adapter 400 g	4522302	4 006825 686821	400 g	Thread	41 mm	R1"	M58 x 1.5



PROFESSIONAL CORDLESS ANGLE GRINDER 230 MM TP-AG 36/230-24 Li Brushless

NEW



BRUSHLESS

PXC battery voltage	2x 18 V	
Cable equivalence class	2400 W	
Idle speed	6600 min ⁻¹	
Wheel diameter	230 mm	
Max. cutting depth	70 mm	
Product weight	4.2 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Face spanner, cutting wheel guard	
Packaging	Colour box	
Article number	4431210	 4 006825 686999

2x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
50 pcs	62 pcs	74 pcs	99 pcs	129 pcs	148 pcs	198 pcs

Cutting/grinding discs not included



PROFESSIONAL CORDLESS ANGLE GRINDER 230 MM TP-AG 36/230-22 Li Brushless

NEW

BRUSHLESS

PXC battery voltage	2x 18 V	
Cable equivalence class	2200 W	
Idle speed	6600 min ⁻¹	
Wheel diameter	230 mm	
Max. cutting depth	70 mm	
Product weight	4.0 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Face spanner, cutting wheel guard	
Packaging	Colour box	
Article number	4431161	 4 4006825 686623

2x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
32 pcs	41 pcs	48 pcs	62 pcs	81 pcs	93 pcs	124 pcs

Cutting/grinding discs not included

Angle Grinder (230 mm) Accessory

Type	Article number	EAN
TS 230/1 Cutting Stand	4431051	



PROFESSIONAL CORDLESS ANGLE GRINDER 150 MM AXXIO 18/150



BRUSHLESS

PXC battery voltage	18 V
Cable equivalence class	700 W
Idle speed	8500 min ⁻¹
Wheel diameter	150 mm
Max. cutting depth	40 mm
Product weight	1.5 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Accessories	1 cutting wheel, cutting wheel guard, face spanner
Packaging	Colour box
Article number	4431144

Accessories incl.



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs



PROFESSIONAL CORDLESS ANGLE GRINDER 125 MM

TP-AG 18/125-13 Q P Brushless

NEW

BRUSHLESS

PXC battery voltage	18 V	
Cable equivalence class	1300 W	
Idle speed	10000 min ⁻¹	
Wheel diameter	125 mm	
Max. cutting depth	33 mm	
Product weight	2.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Quick fix nut, cutting wheel guard	
Packaging	Colour box	
Article number	4431197	 4 006825 686470

Accessories incl.



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
36 pcs	45 pcs	54 pcs	71 pcs	93 pcs	107 pcs	142 pcs



PROFESSIONAL CORDLESS ANGLE GRINDER 125 MM TP-AG 18/125-13 Q Li Brushless

NEW



BRUSHLESS

PXC battery voltage	18 V	
Cable equivalence class	1300 W	
Idle speed	10000 min ⁻¹	
Wheel diameter	125 mm	
Max. cutting depth	33 mm	
Product weight	2.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Quick fix nut, cutting wheel guard	
Packaging	Colour box	
Article number	4431215	 4 006825 687453

Accessories incl.



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
36 pcs	45 pcs	54 pcs	71 pcs	93 pcs	107 pcs	142 pcs



PROFESSIONAL CORDLESS ANGLE GRINDER 125 MM

TP-AG 18/125-11 Q Li Brushless

NEW

BRUSHLESS

PXC battery voltage	18 V	
Cable equivalence class	1100 W	
Idle speed	9500 min ⁻¹	
Wheel diameter	125 mm	
Max. cutting depth	33 mm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Quick fix nut, cutting wheel guard	
Packaging	Colour box	
Article number	4431220	 4 006825 687460

Accessories incl.



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
37 pcs	46 pcs	55 pcs	73 pcs	95 pcs	110 pcs	146 pcs



PROFESSIONAL CORDLESS FLAT-HEAD ANGLE GRINDER 125 MM TP-AG 18/125 F Li Brushless



BRUSHLESS

PXC battery voltage	18 V
Cable equivalence class	700 W
Idle speed	8500 min ⁻¹
Wheel diameter	125 mm
Max. cutting depth	33 mm
Product weight	1.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Accessories	Flap disc (curved, ceramics), face spanner, cutting wheel guard
Packaging	Colour box
Article number	4431175



Accessories incl.



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
33 pcs	42 pcs	50 pcs	66 pcs	86 pcs	99 pcs	132 pcs

Angle Grinder (125 mm) Accessory

Type	Article number	EAN
Sanding Mops/Sanding Plates Set – curved, ceramic grain	4440020	4 006825 682274



PROFESSIONAL CORDLESS ANGLE GRINDER 125 MM TP-AG 18/125 CE Q Li


BRUSHLESS

PXC battery voltage	18 V	
Cable equivalence class	900 W	
Idle speed	3000 - 10500 min ⁻¹	
Wheel diameter	125 mm	
Max. cutting depth	33 mm	
Product weight	1.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Quick fix nut, cutting wheel guard	
Packaging	Colour box	
Article number	4431155	 4 4006825 668797

Accessories incl.



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
38 pcs	48 pcs	57 pcs	76 pcs	98 pcs	113 pcs	151 pcs

Cutting/grinding discs not included



PROFESSIONAL CORDLESS ANGLE GRINDER 125 MM AXXIO 18/125 Q

Accessories incl.



BRUSHLESS

PXC battery voltage	18 V	
Cable equivalence class	700 W	
Idle speed	8500 min ⁻¹	
Wheel diameter	125 mm	
Max. cutting depth	33 mm	
Product weight	1.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Quick fix nut, cutting wheel guard	
Packaging	Colour box	
Article number	4431151	 4 006825 650525

PROFESSIONAL CORDLESS ANGLE GRINDER 125 MM AXXIO 18/125

Same as previous item, but with face spanner instead of a quick fix nut

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Face spanner, cutting wheel guard	
Packaging	Colour box	
Article number	4431140	 4 006825 630558

1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

Cutting/grinding discs not included

Angle Grinder (125 mm) Accessory

Type	Article number	EAN
Quick Fix Nut, M14	49717705	4 009317 177050
Sanding Mops/Sanding Plates Set – curved, ceramic grain	4440020	4 006825 682274
TS 115/125 Cutting Stand	4431044	4 006825 632736



PROFESSIONAL CORDLESS ANGLE GRINDER 115 MM AXXIO 18/115 Q

Accessories incl.


BRUSHLESS

PXC battery voltage	18 V
Cable equivalence class	700 W
Idle speed	8500 min ⁻¹
Wheel diameter	115 mm
Max. cutting depth	28 mm
Product weight	1.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Accessories	Quick fix nut, cutting wheel guard
Packaging	Colour box
Article number	4431150



PROFESSIONAL CORDLESS ANGLE GRINDER 115 MM AXXIO 18/115

Same as previous item, but with face spanner instead of a quick fix nut

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Accessories	Face spanner, cutting wheel guard
Packaging	Colour box
Article number	4431154



1x 18 V

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

Cutting/grinding discs not included

Angle Grinder (125 mm) Accessory

Type	Article number	EAN
Quick Fix Nut, M14	49717705	4 009317 177050
TS 115/125 Cutting Stand	4431044	4 006825 632736



PROFESSIONAL CORDLESS WALL LINER TP-MA 36/30 Li Brushless



BRUSHLESS

PXC battery voltage	2x 18 V	
Cable equivalence class	1500 W	
Idle speed	5400 min ⁻¹	
Cutting wheel	Ø 125 x Ø 22.2 mm	
Channel depth	5 - 30 mm	
Channel width	8 - 30 mm	
Product weight	4.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Diamond cutting wheel	2 pcs	
Storage case	•	
Packaging	Colour box	
Article number	4350800	 4 006825 674514

Accessories incl.



2x 18 V

Brick stone 15 mm - max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
10 m	13 m	15 m	20 m	26 m	30 m	40 m

Matching accessories

Diamond Cutting Wheels Set 125 mm

4350736

4 006825 671087



PROFESSIONAL CORDLESS ROUTER

TP-RO 18/55 Li Brushless

NEW

PXC battery voltage	18 V	
Idle speed	10000 - 30000 min ⁻¹	
Stroke height	55 mm	
Max. form cutter	30 mm	
Product weight	2.5 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Parallel stop	•	
Compass point	•	
Clamp diameter	6 mm / 8 mm	
Packaging	Colour box	
Article number	4350425	 4 006825 684407

1x 18 V

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), max. length per battery charge



2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
29 m	37 m	44 m	58 m	77 m	88 m	118 m



Matching accessories

Router Guide Rail Adapter	4350420	
Guide Bar Aluminium 2x 1000 mm	4502118	

Accessories incl.


BRUSHLESS


PROFESSIONAL CORDLESS ROUTER TP-RO 18 Set Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Idle speed	10000 - 30000 min ⁻¹	
Stroke height	40 mm / 35 mm	
Max. form cutter	30 mm	
Product weight	1.3 kg (palm router) / 2.4 kg (two-handed router) – each excl. battery	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Parallel stop	•	
Compass point	•	
Attachment	Two-handed attachment + edge trimmer base	
Clamp diameter	6 mm / 8 mm	
Packaging	Colour box	
Article number	4350410	 4 006825 662818

1x 18 V

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), max. length per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
29 m	37 m	44 m	58 m	77 m	88 m	118 m

Accessories incl.



Matching accessories

Router Guide Rail Adapter	4350420	4 006825 673579
Guide Bar Aluminium 2x 1000 mm	4502118	4 006825 632675



PROFESSIONAL CORDLESS ROUTER

TP-RO 18 Li Brushless

PXC battery voltage	18 V	
Idle speed	10000 - 30000 min ⁻¹	
Stroke height	35 mm	
Max. form cutter	30 mm	
Product weight	2.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Parallel stop	•	
Compass point	•	
Attachment	Two-handed attachment	
Clamp diameter	6 mm / 8 mm	
Packaging	Colour box	
Article number	4350411	 4 006825 664263

1x 18 V

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), max. length per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
29 m	37 m	44 m	58 m	77 m	88 m	118 m



BRUSHLESS

Matching accessories

Router Guide Rail Adapter	4350420	
Guide Bar Aluminium 2x 1000 mm	4502118	

Accessories incl.



PROFESSIONAL CORDLESS PALM ROUTER TP-ET 18 Li Brushless

PXC battery voltage	18 V	
Idle speed	10000 - 30000 min ⁻¹	
Stroke height	40 mm	
Max. form cutter	30 mm	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Parallel stop	•	
Compass point	•	
Attachment	Edge trimmer base	
Clamp diameter	6 mm / 8 mm	
Packaging	Colour box	
Article number	4350412	 4 006825 664300



Accessories incl.



BRUSHLESS

1x 18 V

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), max. length per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
29 m	37 m	44 m	58 m	77 m	88 m	118 m



PROFESSIONAL CORDLESS PLANER

TP-PL 18/3 Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Idle speed	12000 min ⁻¹	
Planing width	82 mm	
Chip depth	3 mm	
Rebate depth	25 mm	
Product weight	2.6 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Parallel stop	•	
Rebate depth stop	•	
Planing blades (reversible blades)	2 pcs TCT	
Packaging	Colour box	
Article number	4345405	 4 006825 672718

Accessories incl.



1x 18 V

Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
26 m	32 m	38 m	50 m	65 m	78 m	100 m

Matching accessories

Blade Set	49568315	4 009315 683157
-----------	----------	-----------------



PROFESSIONAL CORDLESS JIGSAW TP-JS 18/135 Li Brushless

PXC battery voltage	18 V	
Stroke speed	0 - 3500 min ⁻¹	
Cutting depth (wood / plastic / steel / aluminium)	135 / 20 / 10 / 20 mm	
Product weight	2.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	1 saw blade (wood), parallel stop, chip guard	
Packaging	Colour box	
Article number	4321260	 4 006825 666618

1x 18 V

19 mm chipboard – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
14 m	18 m	21 m	29 m	37 m	43 m	57 m



BRUSHLESS

Matching accessories

Jigsaw Blade Set, 10-piece	49617350	4 009316 173503
Jigsaw Blade Set, 4-piece	49625427	4 009316 254271



PROFESSIONAL CORDLESS JIGSAW

TP-JST 18/135 Li Brushless


BRUSHLESS

PXC battery voltage	18 V	
Stroke speed	0 - 3500 min ⁻¹	
Cutting depth (wood / plastic / steel / aluminium)	135 / 20 / 10 / 20 mm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	3 saw blades (wood), parallel stop, chip guard	
Packaging	Colour box	
Article number	4321265	 4 4006825 670486

Accessories incl.



1x 18 V

19 mm chipboard – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
14 m	18 m	21 m	29 m	37 m	43 m	57 m

Matching accessories

Jigsaw Blade Set, 10-piece	49617350	
Jigsaw Blade Set, 4-piece	49625427	



PROFESSIONAL CORDLESS CIRCULAR SAW TP-CS 18/190 Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Cable equivalence class	600 W	
Idle speed	3800 min ⁻¹	
Saw blade	Ø 190 x Ø 20/30 mm	
Cutting depth 90°	65 mm	
Cutting depth 45°	45 mm	
Product weight	3.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Parallel stop	
Packaging	Colour box	
Article number	4331210	 4 006825 641547

1x 18 V

19 mm chipboard – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
24 m	30 m	37 m	49 m	63 m	73 m	98 m

Matching accessories

Saw blade for woodworking, TCT, Ø 190 x Ø 30 x 2.0 mm, t30	49586956	4 009315 869568
Guide Bar Aluminium 2x 1000 mm	4502118	4 006825 632675



PROFESSIONAL CORDLESS CIRCULAR SAW TP-CS 18/165 Li Brushless


BRUSHLESS

PXC battery voltage	18 V	
Idle speed	5000 min ⁻¹	
Saw blade	Ø 165 x 16/20 mm	
Cutting depth 90°	59 mm	
Cutting depth 45°	44 mm	
Product weight	2.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Parallel stop	
Packaging	Colour box	
Article number	4331225	 4 006825 677881

1x 18 V

19 mm chipboard – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
19 m	24 m	29 m	38 m	49 m	57 m	75 m

Matching accessories

Saw Blade for Woodworking, TCT, Ø 165 x Ø 20 x 1.8 mm, t24	4502076	4 006825 685206
Guide Bar Aluminium 2x 1000 mm	4502118	4 006825 632675



PROFESSIONAL CORDLESS PLUNGE CUT SAW TP-PS 18/165 Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Idle speed	5000 min ⁻¹	
Saw blade	Ø 165 x 20 mm	
Cutting depth 90°	56 mm	
Cutting depth 45°	42 mm	
Product weight	4.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Parallel stop	
Packaging	Colour box	
Article number	4331400	 4 006825 679069

1x 18 V

19 mm chipboard – max. cutting capacity per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
19 m	24 m	29 m	39 m	51 m	59 m	79 m

Matching accessories

Guide Bar Aluminium 2x 1000 mm	4502118	4 006825 632675
Saw blade for woodworking, TCT Ø 165 x Ø 20 x 1.8 mm, t56	4502078	4 006825 687002



PROFESSIONAL CORDLESS ALL PURPOSE SAW

TP-AP 18/32 Li Brushless



PXC battery voltage	18 V	
Cable equivalence class	1300 W	
Stroke speed	0 - 3000 min ⁻¹	
Stroke height	32 mm	
Cutting depth (wood / steel)	300 / 20 mm	
Saw blade thickness	0.8 - 1.7 mm	
Product weight	3.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	1 saw blade (wood) + 1 saw blade (metal)	
Packaging	Colour box	
Article number	4326295	 4 4006825 684438

BRUSHLESS

1x 18 V
Round timber 35 mm – max. number of cuts per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
221 pcs	276 pcs	331 pcs	441 pcs	573 pcs	661 pcs	881 pcs

Accessories incl.


Matching accessories

All Purpose Saw Blades Set 3-piece	49576105	
------------------------------------	----------	---



PROFESSIONAL CORDLESS ALL PURPOSE SAW TP-AP 18/28 Li Brushless



PXC battery voltage	18 V	
Cable equivalence class	950 W	
Stroke speed	0 - 2500 min ⁻¹	
Stroke height	28 mm	
Cutting depth (wood / steel)	200 / 12 mm	
Saw blade thickness	0.9 - 1.6 mm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	1 saw blade (wood)	
Packaging	Colour box	
Article number	4326310	 4 006825 644951

BRUSHLESS

1x 18 V

Round timber 35 mm – max. number of cuts per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs	1112 pcs

Matching accessories

All Purpose Saw Blades Set 3-piece	49576105	
------------------------------------	----------	---



PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL TP-MG 18/3.6 Li Brushless


BRUSHLESS

PXC battery voltage	18 V	
Idle speed	11000 - 20000 min ⁻¹	
Oscillation angle	3.6°	
Abrasive paper size	93 x 93 x 93 mm	
Product weight	1.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Delta grinding/sanding disc	•	
Abrasive paper	3x P60, 3x P80, 3x P120	
Scraper	•	
Plunge-cut blades	1 pc wood/plastic, 1 pc metal	
Segment saw blades	1 pc wood/plastic/non-ferrous metal, 1pc tile joints	
Suction adapter	•	
Packaging	E-Case	
Article number	4465192	 4 006825 679830

Accessories incl.



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
34 min	43 min	51 min	68 min	89 min	102 min	136 min

Round plastics 10 mm – max. number of cuts per battery charge

680 pcs	850 pcs	1020 pcs	1356 pcs	1770 pcs	2035 pcs	2715 pcs
---------	---------	----------	----------	----------	----------	----------

Round steel 6 mm – max. number of cuts per battery charge

144 pcs	180 pcs	216 pcs	288 pcs	375 pcs	432 pcs	576 pcs
---------	---------	---------	---------	---------	---------	---------



PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL TP-MG 18 Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Idle speed	11000 - 20000 min ⁻¹	
Oscillation angle	3.2°	
Abrasive paper size	93 x 93 x 93 mm	
Product weight	1.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Delta grinding/sanding disc	•	
Abrasive paper	3x P60, 3x P80, 3x P120	
Scraper	•	
Plunge-cut blades	1 pc wood/plastic, 1 pc metal	
Segment saw blades	1 pc wood/plastic/non-ferrous metal, 1pc tile joints	
Packaging	Colour box	
Article number	4465190	 4 006825 672060

Accessories incl.



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
34 min	43 min	51 min	68 min	89 min	102 min	136 min

Round plastics 10 mm – max. number of cuts per battery charge

680 pcs	850 pcs	1020 pcs	1356 pcs	1770 pcs	2035 pcs	2715 pcs
---------	---------	----------	----------	----------	----------	----------

Round steel 6 mm – max. number of cuts per battery charge

144 pcs	180 pcs	216 pcs	288 pcs	375 pcs	432 pcs	576 pcs
---------	---------	---------	---------	---------	---------	---------



PROFESSIONAL CORDLESS DRYWALL POLISHER TP-DWS 18/225 Li Brushless


BRUSHLESS

PXC battery voltage	18 V	
Idle speed	600 - 1200 min ⁻¹	
Abrasive paper dimensions, Ø	225 mm	
Hose length	1.3 - 4.5 m	
Product weight	2.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Abrasive paper	2x P60, 2x P80, 2x P120 + abrasive mesh P120	
Dust bag	•	
Packaging	Colour box	
Article number	4259995	 4 006825 670011

1x 18 V
Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
24 min	29 min	35 min	47 min	61 min	70 min	93 min

Accessories incl.


PROFESSIONAL CORDLESS DRYWALL POLISHER TP-DW 18/225 Li

PXC battery voltage	18 V
Idle speed	600 - 1200 min ⁻¹
Abrasive paper dimensions, Ø	225 mm
Device length	110 - 165 cm
Hose length	1.3 - 4.5 m
Product weight	3.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Abrasive paper	2x P60, 2x P80, 2x P120 + abrasive mesh P120
Dust bag	•
Packaging	E-Box
Article number	4259990



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
26 min	33 min	44 min	55 min	68 min	78 min	110 min



Accessories incl.



Drywall Polishers Accessories

Type	Article number	EAN	Items supplied	Set includes
Abrasive Mesh Set	49491006	4 009314 910063	5-piece	Universal abrasive mesh Ø 225 mm (3x 80 grit, 2x 120 grit)
Abrasive Mesh / Grinding/Sanding Wheel Set	49491066	4 009314 910667	15-piece	Universal abrasive mesh Ø 225 mm (4x 80 grit / 2x 120 grit for filling compound and acrylic lacquer); corundum grinding/sanding wheels, white (4x 80 grit / 2x 120 grit for lacquer, hardwood / softwood); corundum grinding/sanding wheels, red (2x 80 grit / 1x 120 grit for wood, metal, plastics)



PROFESSIONAL CORDLESS BRUSH SANDER TP-BR 18/32 Li Brushless

PXC battery voltage	18 V	
Cable equivalence class	1300 W	
Idle speed	900 - 3200 min ⁻¹	
Grinding brush Ø	120 mm	
Grinding brush width	100 mm	
Product weight	2.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Incl. brass wire brush	•	
Packaging	Colour box	
Article number	4468000	 4 006825 679380


BRUSHLESS
1x 18 V
Sanding of softwood beams (10 cm) at max. speed – max. operating time per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
11 min	13 min	16 min	21 min	27 min	32 min	42 min

Cordless Brush Sanders Accessories

	Type	Article number	EAN	Ø	Width	Grit size	Can be used for
	Synthetic Fibre Brush	4468010		120 mm	100 mm	P80	Wood and metal
	Nylon Brush	4468011		120 mm	100 mm	–	Wood, metal and stone
	Abrasive Strip Brush	4468012		120 mm	100 mm	P80	Wood and metal
	Sanding Strip Brush	4468013		120 mm	100 mm	P80	Wood and metal
	Brass Wire Brush	4468014		120 mm	100 mm	–	Wood, metal and robust stone



PROFESSIONAL CORDLESS BAND SANDER TP-BS 18/457 Li Brushless



PXC battery voltage	18 V	
Grinding/sanding belt speed	120 - 250 m/min	
Grinding/sanding area	75 x 126 mm	
Grinding/sanding belt size	75 x 457 mm	
Product weight	2.5 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Sanding/grinding belt	3x P80	
Dust collection box	•	
Packaging	Colour box	
Article number	4466270	 4 006825 663624

Accessories incl.



BRUSHLESS

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	18 min	22 min	30 min	38 min	44 min	59 min

Matching accessories

Grinding Belt Set, 6-piece (60 grit, 80 grit, 120 grit – 2 of each), for wood and metal

4419815




PROFESSIONAL CORDLESS ROTATING SANDER TP-RS 18/32 Li Brushless



BRUSHLESS

PXC battery voltage	18 V	
Oscillating speed	6000 - 24000 min ⁻¹	
Oscillating circuit, Ø	3.2 mm	
Abrasive paper, Ø	125 mm	
Product weight	1.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Abrasive paper	1x P60, 1x P80, 1x P120	
Dust collection box	•	
Packaging	Colour box	
Article number	4462020	 4 006825 670776

Accessories incl.



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
29 min	36 min	44 min	58 min	75 min	87 min	115 min

Matching accessories

Grinding Belt Set, 25-piece (9x 60 grit, 8x 120 grit, 8x 180 grit), for wood and metal

49491974



PROFESSIONAL CORDLESS ECCENTRIC POLISHER CP-EP 18/125 Li Brushless

NEW



BRUSHLESS

PXC battery voltage	18 V
Idle speed	500 - 3800 min ⁻¹
Diameter	125 mm
Oscillating circuit	8 mm
Product weight	2.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Polishing pads	3 pcs (different hardness levels)
Article number	2093330

Accessories incl.



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
25 min	30 min	35 min	50 min	65 min	70 min	100 min

Matching accessories

Polishing Pad Set, 3-piece (different hardness levels)	2093247
--	---------



PROFESSIONAL CORDLESS NAILER FIXETTO 18/50 N

PXC battery voltage	18 V	
Max. working speed	60 per min	
Nail length	15 - 50 mm	
Nail thickness	1.0 mm	
Product weight	2.8 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Nails	500 pcs - 50 mm	
Packaging	Colour box	
Article number	4257795	 4 006825 666885

1x 18 V

Nails (l = 32 mm, w = 1 mm) in softwood – max. number per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
840 pcs	1050 pcs	1260 pcs	1679 pcs	2183 pcs	2519 pcs	3358 pcs

Nails (l = 50 mm, w = 1 mm) in softwood – max. number per battery charge

685 pcs	857 pcs	1028 pcs	1370 pcs	1781 pcs	2055 pcs	2740 pcs
---------	---------	----------	----------	----------	----------	----------



Matching accessories

Nails, 3000 pcs (Type J, 1.0 x 50 mm)	4137873	4 006825 505795
Nails, 3000 pcs (Type J, 1.0 x 40 mm)	4137872	4 006825 504866
Nails, 3000 pcs (Type J, 1.0 x 32 mm)	4137874	4 006825 658378
Nails, 3000 pcs (Type J, 1.0 x 25 mm)	4137871	4 006825 504460

Accessories incl.



PROFESSIONAL CORDLESS STAPLER FIXETTO 18/40 S

PXC battery voltage	18 V
Max. working speed	60 per min
Staple length	10 - 40 mm
Staple width	5.7 mm
Product weight	2.9 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Staples	500 pcs - 40 mm
Packaging	Colour box
Article number	4257785 

1x 18 V

Stapling (staples: 38 mm) in softwood – max. number per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
780 pcs	975 pcs	1170 pcs	1560 pcs	2028 pcs	2340 pcs	3120 pcs

Stapling (staples: 22 mm) in softwood – max. number per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
850 pcs	1063 pcs	1275 pcs	1700 pcs	2210 pcs	2250 pcs	3400 pcs



Matching accessories

Staples, 3000 pcs (Type E, chisel points, 5.7 x 40 mm)	4137861	
Staples, 3000 pcs (Type E, chisel points, 5.7 x 38 mm)	4137876	
Staples, 3000 pcs (Type E, chisel points, 5.7 x 25 mm)	4137860	
Staples, 3000 pcs (Type E, chisel points, 5.7 x 19 mm)	4137875	
Staples, 3000 pcs (Type E, chisel points, 5.7 x 16 mm)	4137855	
Staples, 3000 pcs (Type E, chisel points, 5.7 x 13 mm)	4137850	

Accessories incl.



PROFESSIONAL CORDLESS LIGHT

TP-CL 18/3000 Li

PXC battery voltage	18 V	
Luminosity	200 - 3000 lm, infinitely adjustable	
Light source	60 LEDs	
Light ON time	2.5 h (4.0 Ah)	
Product weight	1.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4514172	 4 006825 672329

1x 18 V

Luminous period per battery charge – 3000 lm

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
73 min	91 min	109 min	145 min	189 min	218 min	291 min



Cordless Lights Accessory

Type	Article number	EAN	Suitable for	Working height	Tilt angle adjustment	Adapter for lights and lasers	Product weight
Tripod 85 - 170 cm	2270116	4 006825 672572	TP-CL 18/3000 Li, TP-CL 18/3000 Li Set	85 - 170 cm	•	1/4" + 5/8" thread	1.8 kg (incl. adapter)
Tripod 37 - 110 cm	2270115	4 006825 616255	TP-CL 18/3000 Li, TP-CL 18/3000 Li Set	37 - 110 cm	•	1/4" thread	0.6 kg



PROFESSIONAL CORDLESS LIGHT TP-CL 18/3000 Li Set

PXC battery voltage	18 V	
Luminosity	200 - 3000 lm, infinitely adjustable	
Light source	60 LEDs	
Light ON time	2.5 h (4.0 Ah)	
Product weight	3.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Tripod 85 - 170 cm	•	
Packaging	Colour box	
Article number	4514170	 4 006825 672008

1x 18 V

Luminous period per battery charge – 3000 lm


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
73 min	91 min	109 min	145 min	189 min	218 min	291 min

Accessories incl.



TP-CL 18/3000 Li Set Accessory

Type	Article number	EAN	Adapter	Product weight	Packaging
Adapter	2270122	4 006825 679847	5/8" to 1/4"	0.2 kg	Colour box



PROFESSIONAL CORDLESS WET AND DRY VACUUM CLEANER TP-VC 36/30 S Auto

PXC battery voltage	2x 18 V	
Suction power	150 mbar / 100 mbar (BOOST / ECO)	
Tank	Stainless steel, 30 l	
Suction hose length / diameter	250 cm / 36 mm	
Noise level	76 dB(A)	
Product weight	8.1 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Suction tube	Telescopic, stainless steel	
Nozzles	Combi, crevice, upholstery nozzle, power tool adapter (1 of each)	
Filters	Foam, pleated filter, dirt bag (1x each)	
More accessories	Transmitter unit for connectivity, fixing tape and charging cable (1 of each)	
Article number	2347143	 4 006825 660067

2x 18 V

Max. operating time per battery charge in idle mode (ECO mode)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
11 min	13 min	16 min	22 min	28 min	33 min	44 min

Max. operating time per battery charge in idle mode (BOOST mode)

8 min	10 min	12 min	16 min	21 min	24 min	32 min
-------	--------	--------	--------	--------	--------	--------

Accessories incl.



PROFESSIONAL CORDLESS WET AND DRY VACUUM CLEANER TP-VC 18/10 Li Brushless L

PXC battery voltage	18 V	
Suction power	180 mbar / 120 mbar (BOOST / ECO)	
Tank	Plastic, 10 l	
Suction hose length / diameter	180 cm / 36 mm	
Noise level	71 dB(A)	
Dust class	L	
Product weight	3.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Suction tube	2-piece, plastic	
Nozzles	Wide suction nozzle, crevice nozzle (1 of each)	
Filters	Foam filter, pleated filter, fleece bag (1 of each)	
More accessories	Carrying strap, inflation adapter (1 of each)	
Article number	2347155	 4 006825 683264



NEW

1x 18 V

Max. operating time per battery charge in idle mode (ECO mode)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
26 min	33 min	40 min	52 min	68 min	80 min	104 min

Max. operating time per battery charge in idle mode (BOOST mode)

9 min	11 min	14 min	18 min	24 min	29 min	36 min
-------	--------	--------	--------	--------	--------	--------

Accessories incl.



**BRUSHLESS
E-CASE-SYSTEM**

Matching accessories

Non-woven Bags, 10 l (set of 5)	2351262	4 006825 684247
Pleated Filter for dust class L, 13 cm	2351272	4 006825 684308



Cordless Wet and Dry Vacuum Cleaners / Wet and Dry Vacuum Cleaners Accessories

Type	Article number	EAN	Items supplied	For tank volume	Suction hose length / diameter
Pleated Filter for dust class L, 13 cm	2351272	4 006825 684308	1 pc	-	-
Pleated filter	2351110	4 006825 231090	1 pc	-	-
Pleated Filter with Lid	2351113	4 006825 566512	1 pc	-	-
Fabric Filter	2351140	4 006825 231151	1 pc	-	-
Foam Filters	2351132	4 006825 644098	5 pcs	-	-
Foam Filters 10 l	2351135	4 006825 641424	5 pcs	10 l	-
Non-woven Bags 40 l	2351195	4 006825 625691	5 pcs	30 - 50 l	-
Non-woven Bags 10 l	2351262	4 006825 684247	5 pcs	10 l	-
Dirt Bags 30 l	2351170	4 006825 528763	5 pcs	30 l	-
Flexible Crevice Nozzle, long	2351204	4 006825 653953	1 pc	-	-
Floor Nozzle with Rollers	2351216	4 006825 671100	1 pc	-	-
Universal Floor Nozzle	2351215	4 006825 630060	1 pc	-	-
Drilling Nozzle	2351233	4 006825 653960	1 pc	-	-
Round Carpet Brush	2351230	4 006825 630091	1 pc	-	-
Set of Nozzles	2351235	4 006825 630107	2 nozzles, 1 brush	-	-
Car Cleaning Set	2351245	4 006825 630121	7-piece set	-	300 cm / 36 mm
Premium Suction Hose	2362005	4 006825 651980	1 heavy-duty suction hose, 3 adapters	-	300 cm / 36 mm
Suction Hose	2362000	4 006825 543018	1 hose, 3 adapters	-	300 cm / 36 mm
Suction Hose Extension	2351270	4 006825 670592	1 hose	-	300 cm / 36 mm

Assignment of Accessories to Wet and Dry Vacuum Cleaners

		Pleated Filter for dust class L, 13 cm	Pleated Filter	Pleated Filter with Lid	Fabric Filter	Foam Filters	Foam Filter 10 l	Non-woven Bags 40 l	Non-woven Bags 10 l	Dirt Bags 30 l	Flexible Crevice Nozzle, long	Floor Nozzle with Rollers	Universal Floor Nozzle	Drilling Nozzle	Round Carpet Brush	Set of Nozzles	Car Cleaning Set	Premium Suction Hose	Suction Hose	Suction Hose Extension
		2351272	2351110	2351113	2351140	2351132	2351135	2351195	2351262	2351170	2351204	2351216	2351215	2351233	2351230	2351235	2351245	2362005	2362000	2351270
TP-VC 36/30 S Auto	2347143	-	•	•	•	•	-	•	-	•	•	•	•	•	•	•	•	•	•	•
TP-VC 18/10 Li Brushless L	2347155	•	-	-	-	-	•	-	•	-	•	•	•	•	•	•	-	•	•	•

• Use possible - Use not possible

PROFESSIONAL CORDLESS COMPRESSOR SILENZO 36/210

PXC battery voltage	2x 18 V	
Suction power	210 l/min	
Output rate 0 bar 4 bar 7 bar	120 l/min 80 l/min 56 l/min	
Tank capacity	8 l	
Max. operating pressure	8 bar	
Number of cylinders	2	
Noise level (LpA)	60 dB (A)	
Product weight	18.9 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4020380	 4 006825 679359

2x 18 V

Inflating cycles (6-8 bar) per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
18	22	25	36	46	52	72

Stapling (staples: 13 mm) in softwood – max. number per battery charge

350 pcs	450 pcs	600 pcs	720 pcs	850 pcs	1200 pcs	1440 pcs
---------	---------	---------	---------	---------	----------	----------



PROFESSIONAL CORDLESS COMPRESSOR SILENZZO 18/160

PXC battery voltage	18 V	
Suction power	160 l/min	
Output rate 0 bar 4 bar 7 bar	95 l/min 60 l/min 40 l/min	
Tank capacity	6 l	
Max. operating pressure	8 bar	
Number of cylinders	2	
Noise level (LpA)	59 dB (A)	
Product weight	16.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Packaging	Colour box	
Article number	4020385	 4 006825 681314

1x 18 V

Inflating cycles (6-8 bar) per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
–	13	16	22	27	32	44

Stapling (staples: 13 mm) in softwood – max. number per battery charge


–	185 pcs	220 pcs	300 pcs	380 pcs	440 pcs	600 pcs
---	---------	---------	---------	---------	---------	---------



Compressed Air Accessories

Type	Article number	EAN	Properties	Packaging
Fabric Hose	4138210		Length 15 m, Ø internal: 9 mm	Shrink film
Fabric Hose	4138200		Length 15 m, Ø innen: 6 mm	Shrink film
Fabric Hose	4138100		Length 10 m, Ø internal: 6 mm	Shrink film
Spiral Hose	4139430		Length 10 m, Ø internal: 9 mm	Shrink film
Spiral Hose	4139420		Length 8 m, Ø internal: 6 mm	Shrink film
Spiral Hose	4139410		Length 4 m, Ø innen: 6 mm	Shrink film
Inflation Adapters Kit	4139695		8-piece	Colour box
Mini Oiler	4135002		R 1/4" internal thread, R 1/4" external thread	Blister
Filter + Pressure Reducer	4134200		Complete with nipple and quick-lock coupling R 1/4"	Colour box
Filter + Pressure Reducer	4134100		Complete with nipple and quick-lock coupling R 3/8"	Colour box
Combination Conditioning Unit	4135001		Complete with oiler, nipple and quick-lock coupling R 1/4"	Colour box
Combination Conditioning Unit	4135000		Complete with oiler, nipple and quick-lock coupling R 3/8"	Colour box
Special Compressed Air Oil	4138315		500 ml	Plastic bottle
Abrasive Sand	4138311		1 kg, grain size 0.2-0.35 mm	Plastic bottle
Michelin Nipple	4139330		Ø 6 mm	Blister
Quick-lock Coupling	4139206		R 1/4" IT	Blister
Quick-lock Coupling	4139207		R 1/4" ET	Blister
Quick-lock Coupling	4139205		R 3/8" IT	Blister
Quick-lock Coupling	4139208		R 3/8" ET	Blister
Quick-lock Coupling	4139210		R 1/2" internal thread	Blister
Quick-lock Coupling	4139209		R 1/2" external thread	Blister
Quick-lock Coupling	4139301		Ø 6 mm	Blister
Quick-lock Coupling	4139302		Ø 9 mm	Blister
Distributor	4139680		2 quick-lock couplings 3/8" IT	Blister
Threaded grommet	4139665		Ø 6 mm, R 1/4" ET	Blister
Threaded grommet	4139666		Ø 6 mm, R 3/8" ET	Blister
Threaded Nipple	4139655		R 1/4" external thread	Blister
Threaded Nipple	4139650		R 3/8" external thread	Blister
Threaded Nipple	4139640		R 1/4" internal thread	Blister
Threaded Nipple	4139645		R 3/8" internal thread	Blister
Grommet	4139660		Ø 6 mm	Blister
Grommet	4139661		Ø 9 mm	Blister
Double Nipple	4139620		R 1/4" external thread	Blister
Double Nipple	4139610		R 3/8" external thread	Blister
Reduction	4139600		R 3/8" ET to R 1/4" IT	Blister
Reduction	4139605		R 1/2" ET to R 3/8" IT	Blister
Reduction	4139630		R 3/8" ET to R 1/4" ET	Blister
Hose Connection Tube	4139310		Ø 6 mm	Blister
Hose Connection Tube	4139320		Ø 9 mm	Blister
Hose Connector Kit	4139500		Ø 6 mm	Blister
Clip Kit	4139670		5 pcs, 8 - 12 mm	Blister

Compressed Air Staplers/Nailers Accessories

Type	Article number	EAN	Type	Length	Width	Quantity	Suitable for	Packaging
Staples	4137876		E, chisel points	38 mm	5.7 mm	3000 pcs	TC-PN 50	Colour box
Staples	4137860		E, chisel points	25 mm	5.7 mm	3000 pcs	TC-PN 50	Colour box
Staples	4137875		E, chisel points	19 mm	5.7 mm	3000 pcs	TC-PN 50	Colour box
Staples	4137855		E, chisel points	16 mm	5.7 mm	3000 pcs	TC-PN 50	Colour box
Staples	4137850		E, chisel points	13 mm	5.7 mm	3000 pcs	TC-PN 50	Colour box
Nails	4137873		J	50 mm	1.0 mm	3000 pcs	TC-PN 50	Colour box
Nails	4137872		J	40 mm	1.0 mm	3000 pcs	TC-PN 50	Colour box
Nails	4137874		J	32 mm	1.0 mm	3000 pcs	TC-PN 50	Colour box
Nails	4137871		J	25 mm	1.0 mm	3000 pcs	TC-PN 50	Colour box

Assignment of Air Tools to Compressors

		TC-PN 50 - Stapler/Nailer	Blow-out Pistol with 4 Nozzles	Blow-out Pistol with 500 mm Nozzle	2-way Blow-out Pistol	Blow-out Pistol, long	Blow-out Pistol, short	Blow-out Pistol Set	Tyre Pressure Gauge, digital	Pro Tyre Pressure Gauge	Tyre Pressure Gauge	Air Tool Set with Bag, 15-piece	Air Tool Set with Bag, 10-piece	Compressed Air Set, 3-piece
		4137790	4132762	4132763	4133210	4133102	4133100	4132759	4133115	4133110	4137000	4139693	4139694	4132741
SILENZZO 36/210	4020380	•	•	•	•	•	•	•	•	•	•	•	•	•
SILENZZO 18/160	4020385	•	•	•	•	•	•	•	•	•	•	•	•	•

• Use possible – Use not possible

PROFESSIONAL CORDED TOOLS



PROFESSIONAL DEMOLITION HAMMER TP-DH 50

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	1700 W	
Blow rate	1800 min ⁻¹	
Impact force	50 J	
Drill chuck	SDS-hex	
Product weight	18.4 kg	
Additional handle	•	
Accessories	1 pointed chisel, 1 flat chisel	
Packaging	E-Box trolley	
Article number	4139130	

Accessories incl.



Matching accessories

Flat chisel	49191045	
Pointed Chisel	49191145	



PROFESSIONAL PAINT/MORTAR MIXER
TP-MX 1700-2 CE

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	1700 W	
Idle speed	0 - 460 / 0 - 750 min ⁻¹	
Stirrer mount	M14	
Product weight	4.7 kg	
Accessories	1 mortar stirrer (Ø 120 mm)	
Packaging	Colour box	
Article number	4258565	 4 006825 678420



Matching accessories

Mortar Mixer	49497625	 4 009314 976250
Paint Mixer	49497635	 4 009314 976359
Mixer Set, 2-piece	49497695	 4 009314 976953



PROFESSIONAL ROUTER TP-RO 1400 E

NEW

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	1400 W	
Idle speed	10000 - 30000 min ⁻¹	
Stroke height	55 mm	
Max. form cutter	30 mm	
Product weight	3.5 kg	
Parallel stop	•	
Compass point	•	
Clamp diameter	6 mm / 8 mm	
Packaging	Colour box	
Article number	4350560	 4 006825 684414

Accessories incl.



Matching accessories

Router Guide Rail Adapter	4350420	
Guide Bar Aluminium 2x 1000 mm	4502118	



PROFESSIONAL ANGLE GRINDER TP-AG 230/2400

NEW



Mains connection	220 - 240 V ~ 50 Hz	
Rated input	2400 W	
Idle speed	6500 min ⁻¹	
Wheel diameter	230 mm	
Max. cutting depth	71 mm	
Product weight	5.9 kg	
Accessories	Face spanner, cutting wheel guard	
Article number	4430895	 4 006825 685664



PROFESSIONAL ANGLE GRINDER TP-AG 230/2000

NEW


Mains connection	220 - 240 V ~ 50 Hz	
Rated input	2000 W	
Idle speed	6500 min ⁻¹	
Wheel diameter	230 mm	
Max. cutting depth	71 mm	
Product weight	5.9 kg	
Accessories	Face spanner, cutting wheel guard	
Article number	4430896	 4 006825 688788

Matching accessories

TS 230/1 Cutting Stand	4431051	
------------------------	---------	---



PROFESSIONAL TABLE SAW TP-CC 10 T



Mains connection	220 - 240 V ~ 50 Hz
Rated input	2000 W S6 25%
Speed	4200 min ⁻¹
Saw blade	Ø 254 x Ø 30 x 2.9 mm
Number of teeth	24
Mitre cut	0° to 45° to the left
Cutting height 90°	85 mm
Cutting height 45°	55 mm
Bench size	630 x 585 mm
Max. cutting capacity on the right	615 mm
Product weight	22.9 kg
Accessories	1x precision saw blade (carbide-tipped), parallel stop (clamped on both sides), angle stop, push stick
Article number	4340435 

Matching accessories



Type	Article number	EAN
E-Stand TSS	4310605	 4 006825 679472

Matching accessories

TCT saw blade, Ø 254 x Ø 30 x 2.9 mm, t24	4502069	 4 006825 685237
TCT saw blade, Ø 254 x Ø 30 x 2.4 mm, t24	4502073	 4 006825 685244
TCT saw blade, Ø 254 x Ø 30 x 3.2 mm, t48	49589551	 4 009315 895512
TCT saw blade, Ø 254 x Ø 30 x 3.2 mm, t60	49589561	 4 009315 895611



**EINHELL IS
OFFICIAL HOME & GARDEN EXPERT
OF FC BAYERN!**



Official Home & Garden Expert



POWER TOOLS 2026